

APPENDIX NUMBER PORTABILITY

TABLE OF CONTENTS

1. INTRODUCTION.....	3
2. INTERIM NUMBER PORTABILITY (INP) [SBC-SWBT ONLY]	4
3. PERMANENT NUMBER PORTABILITY (PNP).....	8
4. INP TO PNP TRANSITION.....	13
5. MASS CALLING CODES	13
6. PROVISION OF INP AND PNP BY CLEC TO <u>SBC-SWBT</u>	15
7. PROVISION OF PNP BY CLEC TO <u>PACIFIC/NEVADA/SBC-AMERITECH</u>.....	15
8. APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS	15
EXHIBIT 1 [<u>SBC-SWBT</u> ONLY]	

**APPENDIX NP
(NUMBER PORTABILITY)**

1. INTRODUCTION

- 1.1 This Appendix sets forth terms and conditions for Number Portability provided by the applicable SBC Communications Inc. (SBC) owned Incumbent Local Exchange Carrier (ILEC) and CLEC.
- 1.2 SBC Communications Inc. (SBC) means the holding company which owns the following ILECs: Illinois Bell Telephone Company, Indiana Bell Telephone Company Incorporated, Michigan Bell Telephone Company, Nevada Bell Telephone Company, The Ohio Bell Telephone Company, Pacific Bell Telephone Company, The Southern New England Telephone Company, Southwestern Bell Telephone Company and/or Wisconsin Bell, Inc. d/b/a Ameritech Wisconsin.
- 1.3 As used herein, **SBC-13STATE** means an ILEC doing business in Arkansas, California, Connecticut, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.4 As used herein, **SBC-12STATE** means an ILEC doing business in Arkansas, California, Illinois, Indiana, Kansas, Michigan, Missouri, Nevada, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.5 As used herein, **SBC-10STATE** means an ILEC doing business in Arkansas, Illinois, Indiana, Kansas, Michigan, Missouri, Ohio, Oklahoma, Texas, and Wisconsin.
- 1.6 As used herein, **SBC-8STATE** means an ILEC doing business in Arkansas, California, Connecticut, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.7 As used herein, **SBC-7STATE** means an ILEC doing business in Arkansas, California, Kansas, Missouri, Nevada, Oklahoma, and Texas.
- 1.8 As used herein, **SBC-SWBT** means an ILEC doing business in Arkansas, Kansas, Missouri, Oklahoma, and Texas.
- 1.9 As used herein, **SBC-AMERITECH** means an ILEC doing business in Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- 1.10 As used herein, **PACIFIC** means an ILEC doing business in California.

- 1.11 As used herein, **NEVADA** means an ILEC doing business in Nevada.
- 1.12 As used herein, **SNET** means an ILEC doing business in Connecticut.
- 1.13 The prices at which **SBC-13STATE** agrees to provide CLEC with Numbering Portability are contained in the applicable Appendix Pricing and/or the applicable Commissioned ordered tariff where stated.

2. **INTERIM NUMBER PORTABILITY (INP) [SBC-SWBT ONLY]**

- 2.1 Due to all **PACIFIC** and **SBC-AMERITECH** switches being LNP capable, this Section does not apply to **PACIFIC** or **SBC-AMERITECH**. As of 11/13/99, it will not apply to **SNET** and after 12/31/99, it will not apply to **NEVADA**.

2.2 **General Terms and Conditions**

- 2.2.1 **SBC-SWBT** and CLEC will provide Interim Number Portability (INP) in accordance with requirements of the Act. INP will be provided by each Party to the other upon request in accordance with the Act, FCC regulations, and industry standards. INP will be provided with minimum impairment of functionality, quality, reliability and convenience to subscribers of CLEC or **SBC-SWBT**. As described herein, INP is a service arrangement whereby an End User, who switches subscription of exchange service from one provider to another is permitted to retain, for its use, the existing assigned number provided that the End User remains in the same serving wire center.

2.3 **Service Provided**

- 2.3.1 **SBC-SWBT** shall provide INP to CLEC only, as described herein.
- 2.3.2 **SBC-SWBT** and Level 3 shall provide INP services and facilities only where technically feasible, subject to the availability of facilities, and only from properly equipped central offices. **SBC-SWBT** does not offer INP services and facilities for NXX codes 555, 976, 950.
- 2.3.3 **SBC-SWBT** shall not provide INP services for End User accounts where the End User's payments are forty five (45) days or more in arrears, or where contract termination liabilities would be assessed by **SBC-SWBT** to the End User, unless full payment is made, or an agreement is reached where CLEC agrees to make full payment on the End User's behalf, including any termination amounts due.
- 2.3.4 When the exchange service offerings associated with INP service are provisioned using remote switching arrangements, **SBC-SWBT** shall make INP service available only from, or to host central offices.

2.4 **Obligations of SBC-SWBT**

- 2.4.1 **SBC-SWBT**'s responsibility is to comply with the service requests it receives from CLEC and to provide INP in accordance with this Appendix.

2.5 Obligations of CLECs

- 2.5.1 CLEC shall coordinate the provision of service with **SBC-SWBT** to assure that CLEC's switch is capable of accepting INP ported traffic.
- 2.5.2 CLEC is solely responsible to provide equipment and facilities that are compatible with **SBC-SWBT**'s service parameters, interfaces, equipment and facilities provided that SBC-SWBT has first provided and made available all such specifications to CLEC. CLEC shall provide sufficient terminating facilities and services at the terminating end of an INP call to adequately handle all traffic to that location and shall ensure that its facilities, equipment and services do not interfere with or impair any facility, equipment or service of **SBC-SWBT** or any of its End Users. In the event that **SBC-SWBT** determines in its sole judgment that CLEC is impairing, or materially interfering with any equipment, facility or service of **SBC-SWBT** or any of its End Users, **SBC-SWBT** may either refuse to provide INP service or terminate it in accordance with other provisions of this Agreement or **SBC-SWBT**'s tariffs, where applicable.
- 2.5.3 CLEC shall provide an appropriate intercept announcement service for any telephone numbers subscribed to INP service for which CLEC is not presently providing exchange service or terminating to an End User.
- 2.5.4 Where CLEC chooses to disconnect or terminate any INP service, CLEC shall designate which standard **SBC-SWBT** intercept announcement **SBC-SWBT** shall provide for disconnected number.
- 2.5.5 When a ported telephone number becomes vacant, e.g., the telephone number is no longer in service by the original End User and a period for intercept and referral equivalent to that which is provided by **SBC-SWBT** to its own End User subscribers has elapsed, the ported telephone number will be released back to **SBC-SWBT**.
- 2.5.5.1 Formerly ported telephone numbers which revert to **SBC-SWBT** as described above shall be reassigned or provided with a standard **SBC-SWBT** intercept announcement in accordance with **SBC-SWBT**'s standard operating procedures then in effect.

2.5.6 CLEC shall designate to **SBC-SWBT** at the time of its initial service request for INP service one of the following options for handling and processing of Calling Card, Collect, Third Party, and other operator handled non-sent paid calls from or to CLEC assigned telephone numbers:

2.5.6.1 CLEC may elect to block the completion of third number and calling card calls through the use of LIDB to select ported numbers.

2.5.6.2 For non-sent paid calls billed to INP assigned numbers, a separate sub-clearinghouse billing arrangement must be established which will provide for the transmission of the EMR 01-01-01 billing records, and settlement of toll revenues.

2.6 Limitations Of Service

2.6.1 **SBC-SWBT** is not responsible for adverse effects on any service, facility or equipment from the use of INP service.

2.6.2 End-to-end transmission characteristics cannot be specified by **SBC-SWBT** for calls over INP facilities because end-to-end transmission characteristics may vary depending on the distance and routing necessary to complete calls over INP facilities and the fact that another carrier is involved in the provisioning of service.

2.7 Service Descriptions

2.7.1 INP-Remote

2.7.1.1 INP-Remote is a service whereby a call dialed to an INP-Remote equipped telephone number, assigned to **SBC-SWBT**, is automatically forwarded to CLEC-assigned, 7 or 10 digit telephone number. The forwarded-to-number must be specified by CLEC at the same wire center wherein the ported number resides.

2.7.1.2 INP-Remote provides an initial call path and two (2) additional paths for the forwarding of no more than three (3) simultaneous calls to CLEC's specified forwarded-to number. Additional call paths are available on a per path basis.

2.7.1.3 The CLEC-assigned forwarded-to number shall be treated as two (2) separate calls with respect to interconnection compensation, End User toll billing and intercompany settlement and access billing, i.e., an incoming call to the **SBC-SWBT** ported number shall be handled like any other **SBC-SWBT** call being terminated to that end office and

the ported call to CLEC assigned telephone number in CLEC switch shall be handled as any local calls between **SBC-SWBT** and CLEC.

2.7.1.4 Where facilities exist, **SBC-SWBT** will provide identification of the originating telephone number, via SS7 signaling, to CLEC.

2.7.2 **INP-Direct**

2.7.2.1 INP-Direct is a service which provides for the delivery of the called (dialed) number to CLEC's switching (central office or premises) equipment for identification and subsequent routing and call completion.

2.7.2.2 INP-Direct is available either on a per voice grade channel basis or a per DS1 (24 equivalent voice grade channels) basis.

2.7.2.2.1 Where the location of CLEC's switching equipment to which **SBC-SWBT** is providing voice grade or DS1 INP-Direct service reside outside the exchange or central office serving area from which the INP-Direct service is purchased, CLEC shall pay applicable interoffice mileage charges as specified in the applicable state Special Access Tariff.

2.7.2.3 INP-Direct service must be established with a minimum configuration of two (2) voice grade channels and one (1) unassigned telephone number per **SBC-SWBT** switch. Transport facilities arranged for INP-Direct may not be mixed with any other type of trunk group. Outgoing calls may not be placed over facilities arranged for INP-Direct service.

2.7.2.4 SS7 Signaling is not available on the INP-Direct facilities.

2.8 Intercompany Terminating Compensation

2.8.1 With regard intercompany terminating compensation and switched access revenues associated with interim number portability, the Porting Party shall pay the Ported-to-Party \$1.75 per month for each business line and \$1.25 per month for each residence line associated with the INP arrangement. Determination of the number of lines to which the above payment shall apply will be made at the time the INP arrangement is established. Such payment shall continue until the INP arrangement is disconnected or PNP is made available for the INP number, whichever occurs first. Such amount is in consideration of the Switched Access compensation and intercompany terminating reciprocal compensation that would have been received by each Party if PNP had been in effect.

2.9 Pricing

2.9.1 The Parties will comply with all effective FCC, Commission and/or court orders governing INP cost recovery and compensation. The Parties acknowledge that the Telephone Number Portability Order is subject to pending Petitions for Reconsideration and may be appealed. As such, the Number Portability Order may be reconsidered, revised and remanded, or vacated, subject to further proceedings before the FCC. As such, until a final decision is rendered on INP cost recovery, the Parties agree to track the costs associated with the implementation and provision of INP and to “true-up” INP-related accruals to reflect the final terms of any such order.

2.9.2 Neither Party waives its rights to advocate its views on INP cost recovery, or to present before any appropriate regulatory agency or court its views.

3. **PERMANENT NUMBER PORTABILITY (PNP)**

3.1 General Terms and Conditions

3.1.1 The Parties agree that the industry has established local routing number (LRN) technology as the method by which permanent number portability (PNP) will be provided in response to FCC Orders in CC Docket 95-116 (i.e., First Report and Order and subsequent Orders issued to the date this agreement was signed). As such, the parties agree to provide PNP via LRN to each other as required by the Act, FCC Orders, and Industry agreed upon practices.

3.1.2 Other than as specifically set out elsewhere in this agreement, **SNET** does not offer PNP under this agreement. Rather, PNP is available as described in Section 14 of the Connecticut Tariff FCC No. 39.

3.2 Service Provided

3.2.1 **SBC-12STATE** provides CLECs the use of the **SBC-12STATE** PNP database via the Service Provider Number Portability (SPNP) Database Query. The CLEC’s STP, tandem, and/or end office’s LRN software will determine the need for, and triggers, the query. **SBC-12STATE**’s PNP database will determine if a number has, or has not, been ported and will provide LRN if a number is ported.

3.2.2 **SBC-12STATE** will provide CLEC the use of the **SBC-12STATE** PNP database, PNP software, and SS7 network via the SPNP Query.

3.2.3 The Parties shall:

3.2.3.1 disclose, upon request, any technical limitations that would prevent LNP implementation in a particular switching office, provided

however, that any information disclosed pursuant to this Section shall be treated as Proprietary Information in accordance with Section 20 of the General Terms and Conditions of the Agreement; and

3.2.3.2 provide PNP services and facilities only where technically feasible, subject to the availability of facilities, and only from properly equipped central office.

3.2.4 The Parties do not offer PNP services and facilities for NXX codes 555, 976, 950.

3.3 **Obligations of SBC-12STATE**

3.3.1 **PACIFIC/NEVADA/SBC-AMERITECH** has deployed LRN in all of their switches.

3.3.2 **SBC-SWBT** has deployed LRN in the following MSAs per the timelines set forth by the FCC:

MSA	DEPLOYMENT WAS COMPLETED BY
Houston	May 26, 1998
Dallas, St. Louis	June 26, 1998
Ft. Worth, Kansas City	July 27, 1998
Oklahoma City, Austin, San Antonio, West Memphis,	September 30, 1998
Tulsa, El Paso, Wichita, Little Rock	December 31, 1998

3.3.3 After December 31, 1998, **SBC-SWBT** will deploy LRN in other MSAs/areas within six (6) months after receipt of Bona Fide Request (BFR) from the CLEC (see EXHIBIT 1).

3.3.4 **SBC-12STATE** may cancel any line-based calling cards associated with telephone numbers ported from their switch.

3.4 **Obligations of CLEC**

3.4.1 When purchasing the SPNP Database Query, CLEC will access **SBC-12STATE**'s facilities via an SS7 link: **SBC-AMERITECH** - Section 8 of

FCC No. 2 Access Service Tariff/**NEVADA** – Section 6 of FCC No. 1 Access Services tariff/**PACIFIC** – Section 6 of FCC No. 128 Access Service tariff/ **SBC-SWBT**- Section 23 and 32 of FCC No. 73 Access Service Tariff) to the **SBC-12STATE** STP.

- 3.4.2 When purchasing the SPNP Query - Prearranged, CLEC will advise **PACIFIC/NEVADA/SBC-SWBT** of the entry point(s) of queries to the **PACIFIC/NEVADA/SBC-SWBT** network and provide a query forecast for each entry point.
- 3.4.3 The CLEC is responsible for advising the Number Portability Administration Center (NPAC) of telephone numbers that it imports and the associated data as identified in industry forums as being required for PNP.
- 3.4.4 After the initial deployment of PNP in a mandated MSA, CLEC shall submit a BFR (see EXHIBIT 1) to request that a **SBC-SWBT** switch in that MSA become LRN capable. The requested switch will be made LRN capable within the time frame stipulated by the FCC.
- 3.4.5 When CLEC requests that an NXX in an LRN capable **SBC-12STATE** switch become portable, CLEC shall follow the industry standard LERG procedure.
- 3.4.6 CLEC shall be certified by the Regional NPAC prior to scheduling Intercompany testing of PNP.
- 3.4.7 CLEC shall adhere to **SBC-12STATE**'s Local Service Request (LSR) format and PNP due date intervals.
- 3.4.8 CLEC shall adhere to **SBC-12STATE**'s reserved number terms and conditions pursuant to Appendix Numbering.

3.5 Obligations of Both Parties

- 3.5.1 When a ported telephone number becomes vacant, e.g., the telephone number is no longer in service by the original End User, the ported telephone number will be released back to the carrier owning the switch in which the telephone number's NXX is native.
- 3.5.2 Each party has the right to block default routed call entering a network in order to protect the public switched network from overload, congestion, or failure propagation.
- 3.5.3 Industry guidelines shall be followed regarding all aspects of porting numbers from one network to another.
- 3.5.4 Intracompany testing shall be performed prior to the scheduling of intercompany testing.
- 3.5.5 Each Party will designate a single point of contact (SPOC) to schedule and perform required testing. These tests will be performed during a mutually agreed time frame and must meet the criteria set forth by the InterIndustry LNP Regional Team for porting.
- 3.5.6 Each Party shall abide by NANC and the InterIndustry LNP Regional Team provisioning and implementation process.
- 3.5.7 Each Party shall become responsible for the End User's other telecommunications related items, e.g. E911, Directory Listings, Operator Services, Line Information Database (LIDB), when they port the End User's telephone number to their switch.

3.6 Limitations of Service

- 3.6.1 Telephone numbers can be ported only within **PACIFIC/NEVADA/SBC-SWBT** toll rate centers / **SBC-AMERITECH** rate centers or rate districts, which ever is a smaller geographic area, as approved by State Commissions.
- 3.6.2 Telephone numbers in the following **SBC-12STATE** NXXs shall not be ported: (i) wireless NXXs until the FCC mandates that those NXXs be portable; and (ii) **SBC-12STATE** Official Communications Services (OCS) NXXs.

- 3.6.3 Telephone numbers with NXXs dedicated to choke/High Volume Call-In (HVCI) networks are not portable via LRN. Choke numbers will be ported as described in Section 5 of this Appendix.

3.7 Service Descriptions

- 3.7.1 The switch's LRN software determines if the called party is in a portable NXX. If the called party is in a portable NXX, a query is launched to the PNP database to determine whether or not the called number is ported.
- 3.7.2 When the called number with a portable NXX is ported, an LRN is returned to the switch that launched the query. Per industry standards, the LRN appears in the CdPN (Called Party Number) field of the SS7 message and the called number then appears in the GAP (Generic Address Parameter) field.
- 3.7.3 When the called number with a portable NXX is not ported, the call is completed as in the pre-PNP environment.
- 3.7.4 The FCI (Forward Call Identifier) field's entry is changed from 0 to 1 by the switch triggering the query when a query is made, regardless of whether the called number is ported or not.
- 3.7.5 The N-1 carrier (N carrier is the responsible Party for terminating call to the End User) has the responsibility to determine if a query is required, to launch the query, and to route the call to the switch or network in which the telephone number resides.
- 3.7.6 If CLEC chooses not to fulfill its N-1 carrier responsibility, **SBC-12STATE** will perform queries on calls to telephone numbers with portable NXXs received from the N-1 carrier and route the call to the switch or network in which the telephone number resides.
- 3.7.7 The CLEC shall be responsible for payment of charges to **SBC-12STATE** for any queries made on the N-1 carrier's behalf when one or more telephone numbers have been ported in the called telephone number's NXX.
- 3.7.8 The CLEC shall populate the Jurisdictional Identification Parameter (JIP) field with the first six (6) digits (NPA NXX format) of the appropriate LRN of the originating switch.

3.8 Pricing

3.8.1 The price of PNP queries shall be the same as those in

SBC-AMERITECH - Section 6 of the FCC No. 2 Access Services Tariff

NEVADA BELL - Section 19 of the FCC No. 1 Access Services Tariff

PACIFIC BELL – Section 13 of the FCC No. 128 Access Services Tariff

SBC-SWBT – Section 34 of the FCC No. 73 Access Services Tariff.

3.8.2 CLEC agrees not to charge **SBC-12STATE**, nor any SBC Affiliate, SBC Subsidiary, or **SBC-12STATE** End User for the ordering, provisioning, or conversion of ported telephone numbers as a means for the CLEC to recover the costs associated with LNP.

4. **INP TO PNP TRANSITION**

4.1 **PACIFIC/NEVADA/SBC-AMERITECH** has deployed LRN in all of their switches.

4.2 **SBC-SWBT** has deployed LRN in the switches requested as result of the State Commission's poll of CLECs to name the switches in which they wanted LRN deployed.

4.3 CLECs shall issue LSRs to change their existing INP accounts to PNP within a ninety (90) day window, or as otherwise negotiated, which starts immediately after the FCC mandated PNP Phase completes for that MSA or when a switch in a non-mandated area becomes LNP capable.

4.4 New requests for INP will not be provided in a **SBC-12STATE** switch once LRN has been deployed in that switch.

4.5 The Parties shall coordinate each MSA's transition from INP to PNP. When a service provider's INP lines exceed eight (8) in an NXX and/or fifty (50) lines in a MSA, they shall send advance notice to the owner of the switch(es) in which those telephone numbers are homed indicating the volume of orders involved in the INP to PNP transition.

5. **MASS CALLING CODES**

5.1 General Terms and Conditions

5.1.1 Mass calling codes, i.e., choke/HVCI NXXs, are used in a network serving arrangement provided by **SBC-12STATE** in special circumstances where large numbers of incoming calls are solicited by an End User and the number of calls far exceeds the switching capacity of the terminating office, the number of lines available for terminating those calls, and/or the STP's query capacity to the PNP database. The following two different sets of

End User objectives usually create this condition: (a) low call completion; and (b) high call completion.

- 5.1.2 Given the potentially hazardous effect calling conditions of this nature could have on the network, **SBC-12STATE** will provide mass calling code portability using a non-LRN solution.

5.2 **Service Provided**

- 5.2.1 **SBC-12STATE** will offer the ability to port telephone numbers with mass calling NXX codes via the use of pseudo codes or route index numbers. In this non-LRN scenario, calls to the **SBC-12STATE** mass calling NXX code will leave the originating end office over dedicated MF (multi-frequency) trunk groups to the **SBC-12STATE** mass calling tandem and/or **SBC-AMERITECH** mass calling hub. The mass calling tandem will then route the calls over dedicated MF trunks to the **SBC-12STATE** choke serving central office (CSO). The CSO will translate the dialed mass calling number to a non-dialable pseudo code or a route index number that routes the call to the mass calling customer.
- 5.2.2 When a CLEC requests that a **SBC-12STATE** number with a mass calling NXX code be ported to its network, **SBC-12STATE** will build translations at the CSO to route the incoming calls to a CLEC provided dedicated Direct Inward Dial (DID) MF trunk group from the CSO to the CLEC central office.

5.3 **Obligations of SBC-12STATE**

- 5.3.1 **SBC-12STATE** will port its numbers with mass calling NXXs upon request by the CLEC. Non-LRN porting will be done via pseudo code or route index translation in the **SBC-12STATE** CSO rather than STP queries to the PNP database. This method of porting mass call numbers will be used during both INP and PNP period in each market.
- 5.3.2 **SBC-12STATE** will not charge the CLEC for the use of its choke network by the CLEC's mass calling customer. In exchange, **SBC-12STATE** shall not be responsible to pay intercompany terminating compensation for terminating minutes of use (MOU) for ported choke calls.

5.4 **Obligations of CLEC**

- 5.4.1 CLEC shall agree to adhere to **SBC-12STATE** LSR format and mass calling due date intervals.
- 5.4.2 The CLEC shall provide the facility and DID trunk group from the **SBC-12STATE** CSO to the CLEC's serving office. The CLEC shall size this one-way MF trunk group.
- 5.4.3 The CLEC shall forego any inter-company terminating MOU compensation for termination calls coming in on this trunk group.

5.5 **CLEC Mass Calling Codes**

- 5.5.1 Should the CLEC assign a mass calling NXX code(s) and establish a mass calling interface for traffic destined to its CSO(s), the CLEC shall home its CSO(s) on a **SBC-12STATE** mass calling tandem and a similar mass calling trunking arrangement (one-way outgoing with MF signaling) will be provided from **SBC-12STATE**'s tandem and/or **SBC-AMERITECH** mass calling hub to the CLEC. In order to allow the Parties time to order and install such mass calling trunks, the CLEC shall provide **SBC-12STATE** notification of its intention to deploy mass calling NXX code(s) at least ninety (90) days before such codes are opened in the LERG. For more information regarding this mass local interconnection trunk group, See Appendix ITR.
- 5.5.2 MF SS7 trunk groups shall not be provided within a DS1 facility. A separate DS1 facility per signaling type must be used. Where **SBC-12STATE** and CLEC both provide mass calling trunking, both Parties' mass calling trunks may ride the same DS1 facility.

5.6 **Limitations of Service**

- 5.6.1 CLEC shall adhere to **SBC-12STATE**'s reserved number terms and conditions. When a ported number with a mass calling NXX code becomes vacant, e.g., the ported number is no longer in service by the original End User, the ported number shall be released back to the carrier owning the switch in which the telephone number's NXX is native.

6. **PROVISION OF INP AND PNP BY CLEC TO SBC-SWBT**

- 6.1 CLEC shall provide INP and PNP to **SBC-SWBT** in accordance with the Act, and FCC orders and regulations, and under no less favorable terms and conditions as when **SBC-SWBT** provides such services to CLEC.

7. **PROVISION OF PNP BY CLEC TO PACIFIC/NEVADA/SBC-AMERITECH**

- 7.1 CLEC shall provide PNP to **PACIFIC/NEVADA/SBC-AMERITECH** in accordance with the Act, and FCC orders and regulations, and under no less favorable terms and conditions as when **PACIFIC/NEVADA/SBC-AMERITECH** provides such services to CLEC.

8. **APPLICABILITY OF OTHER RATES, TERMS AND CONDITIONS**

- 8.1 Every interconnection, service and network element provided hereunder, shall be subject to all rates, terms and conditions contained in this Agreement which are legitimately related to such interconnection, service or network element. Without limiting the general applicability of the

foregoing, the following terms and conditions of the General Terms and Conditions are specifically agreed by the Parties to be legitimately related to, and to be applicable to, each interconnection, service and network element provided hereunder: definitions, interpretation, construction and severability; notice of changes; general responsibilities of the Parties; effective date, term and termination; fraud; deposits; billing and payment of charges; non-payment and procedures for disconnection; dispute resolution; audits; disclaimer of representations and warranties; limitation of liability; indemnification; remedies; intellectual property; publicity and use of trademarks or service marks; no license; confidentiality; intervening law; governing law; regulatory approval; changes in End User local exchange service provider selection; compliance and certification; law enforcement; no third party beneficiaries; disclaimer of agency; relationship of the Parties/independent contractor; subcontracting; assignment; responsibility for environmental contamination; force majeure; taxes; non-waiver; network maintenance and management; signaling; transmission of traffic to third parties; customer inquiries; expenses; conflicts of interest; survival; scope of agreement; amendments and modifications; and entire agreement.

EXHIBIT 1

[This Attachment is applicable to SBC-SWBT only.]
PERMANENT NUMBER PORTABILITY (PNP)
BONA FIDE REQUEST (BFR) PROCESS

The Permanent Number Portability (PNP) Bona Fide Request (BFR) is a process that Competitive Local Exchange Carrier (CLECs) shall use to request that PNP be deployed

?? in a Metropolitan Statistical Area (MSA) beyond the 100 largest MSAs in the country
and
?? additional switch(es) in an MSA in which PNP has been deployed.

Per the FCC First Report and Order and Further Notice Of Proposed Rulemaking (July, 1996, 80), CLEC can request that PNP be deployed in additional MSAs beginning January 1, 1999. **SBC-SWBT** is to provide PNP in that MSA in the requested switches within six (6) months of receipt of BFR.

Per the FCC's First Memorandum Opinion And Order On Reconsideration (March 1997, 65,66), switches that were not requested to be PNP capable in the initial PNP deployment in the top 100 MSAs can be requested to be made PNP capable. The following time frames begin after an MSA's Phase end date has been reached:

1. equipped remote switches within 30 days
2. hardware capable switches within 60 days
3. capable switches requiring hardware within 180 days
4. non-capable switches within 180 days

These time frames begin after the receipt of a BFR.

REQUEST FOR INSTALLATION OF PNP SOFTWARE

The request to make one or more switches in an MSA PNP capable shall be made in the form of a letter or the form on pages 3 through 5 of this Attachment from CLEC to its **SBC-SWBT** Account Manager which shall specify the following:

- ?? The MSA in which requested switch(es) are located.
- ?? The switch(es), by CLLI code, that are to become PNP capable.
- ?? The date when PNP capability is requested with the FCC established time frames being the least amount of time.
- ?? The projected quantity of queries that result from this new capability with a demand forecast per tandem or end office with which CLEC interconnects.
- ?? An initial response from the **SBC-SWBT** Account Manager, acknowledging receipt of the BFR and the date when requested switch(es) will be PNP capable, must be made to CLEC within ten (10) business days of receipt of the BFR.

Local Number Portability (LNP) Bona Fide Request (BFR)

Southwest Region LNP Network Operations Team

DATE: _____ (date of request)

TO: _____ (name of service provider)
 _____ (address of service provider)
 _____ (contact name/number)

FROM: _____ (requester/service provider name/ID)
 _____ (requester switch(es)/CLLI)
 _____ (authorized by name)
 _____ (authorized by title)
 _____ (contact name/address/number)

Affidavit attesting requester as authorized agent should accompany request.

SWITCH(ES):

CLLI ¹	Rate Center Name ²	Rate Center VC/HC ²	NPA-NXX(s) ³
_____	_____	_____	All: Y or N
_____	_____	_____	All: Y or N
_____	_____	_____	All: Y or N
_____	_____	_____	All: Y or N
_____	_____	_____	All: Y or N

DATES: Requested date switch(es) should be LNP capable: _____ (mm/dd/yy)
 Requested code opening date⁴: _____ (mm/dd/yy)

Notes: See following page.

Acknowledgment of BFR is to be sent to the requester within ten business days.

Local Number Portability (LNP) Bona Fide Request (BFR)

Southwest Region LNP Network Operations Team (Continued)

Notes: ¹ List each switch targeted for LNP by its specific CLLI code.

² Enter associated Rate Center information from LERG, including: Rate Center Name and Associated V&H Terminating Point Master Coordinates; Source of the LERG information: Destination Code Record (DRD) Screen.

³ Circle or highlight **Y** if requesting all eligible NPA-NXX codes in that specific switch to be opened. Circle or highlight **N** if only certain NPA NXX codes are being requested, then provide list of desired NPA NXX(s).

Note: Targeting of specific NPA-NXX codes should be carefully considered. A traditional ILEC may serve a single rate center with multiple switches (CLLIs and NXX codes) while CLEC may serve multiple rate centers with a single switch. In the latter case, use of a specific NXX code will determine the rate center.

⁴ As documented in the Southwest Region Code Opening Process.

Acknowledgment of LNP Bona Fide Request (BFR)

Southwest Region LNP Network Operations Team

DATE: _____ (date of response)

TO: _____ (requester/CLEC name/ID)
 _____ (contact name/address/number)
 _____ (requester switch(es)/CLLI)

FROM: _____ (name of service provider)
 _____ (address of provider)
 _____ (contact name/number)

Switch request(s) accepted:

CLLI Accepted	LNP Effective Date	or	<i>Modified Effective Date</i>	Ineligible NPA-NXXs
_____ (CLLI 1)	_____		_____	_____
_____ (CLLI 2)	_____		_____	_____
_____ (CLLI 3)	_____		_____	_____
_____ (CLLI 4)	_____		_____	_____

Switch request(s) denied/reason for denial:

_____ (CLLI 1): _____

_____ (CLLI 2): _____

_____ (CLLI 3): _____

Authorized company representative signature/title: